

# CONVARIO



CONTI+ shower room solutions – 2025 inspiration



# CONVARIO

Maximum corrosion resistance  
Antibacterial surface  
Numerous design options  
With and without glass shelf



# VERSATILITY

CUSTOMISED DESIGN & HIGH-END TECHNOLOGY



The CONVARIO shower panel made of high quality mineral composite material – your key to numerous design options! Whether with RAL shades, an elegant marble look or striking visual accents, CONVARIO opens up completely new ways of bringing colour into modern shower room designs.

The shower panel offers state of the art technology in the form of a fully electronic water inlet. Sanitary rinses and separate cold and hot water rinses are no problem at all, ensuring maximum cleanliness and convenience.


# CONTI+ CONVARIO

High-end shower panel with fully electronic Thermostat-E

The CONTI+ CONVARIO shower panel is equipped with the intelligent CONPRIMUS water inlet and the fully electronically controlled Thermostat-E mixing valve, which has numerous hygiene and safety functions. Connected (wall mounting) to cold and hot water, its features can be set and programmed via the CONTI+ Service APP or CONTI+ CNX water management system.

## Technical data

Connection voltage (mains, multiple installation):	24 V/DC
Connection voltage (CNX):	30 V/DC, also 24 V/DC
Operating pressure:	2.5–5.0 bar
Water temperature in standard mode (max.):	70 °C
Water temperature for thermal disinfection:	Briefly 80 °C for thermal disinfection
DN15 flow rate:	0.15 l/s (flow rate controller)
Flow rate for thermal disinfection DN15:	0.05 l/s
Water running time setting range:	3–180 s
Water running time factory setting:	30 s
Sanitary rinse setting range:	Disabled at the factory; can be set to 24, 48 or 72 h via piezo pushbutton, CNX or Service APP
Preset temperatures:	Standby temperature on activation of the piezo pushbutton 38 °C (adjustable from 100 % cold to max. 43 °C (temperature range) by turning the E-Control element). If the cold water pipe fails, the water flow is stopped when it reaches 48 °C (factory setting – adjustable via Service APP and CNX; observe maximum water temperature) After the shower time has ended (or the shower has been stopped by pressing the piezo pushbutton again), the set temperature is saved for 30 s
Memory temperature setting:	
Electronic IP protection:	IP 68
Dimensions:	370x115 mm (WxD)   Height min. 1400 mm to max. 2500 mm (variable)



# CONVARIO



CONTI+



- Pre-installed CONPRIMUS electronic high-end water inlet
- Thermostat-E mixer proportional valve at shower head height
- Electronic anti-scald protection
- E-Control electronic control unit, rotary knob/pushbutton for mixed water and start/stop function
- Visual temperature adjustment via LED display
- Non-linear temperature adjustment
- Electronically adjustable memory temperature
- Prefitted with plug-in connection for shower heads or handheld shower prefitted on delivery
- Electronic sanitary rinse
- Electronic cold water rinse (CNX)
- Electronic thermal disinfection (CNX)



# GENESIS



# CONVARIO



## Design options

- CONVARIO for Service App or for CNX integration
- Shower panel in numerous design and colour options
- For fixed shower head or handheld shower kit
- With and without glass shelf
- Special sizes on request





# 50 YEARS

Showers & Washroom Solutions

## Dependable & innovative

Hygienic, smart shower room and washroom concepts to improve quality of life have been the hallmark of the CONTI+ brand for 50 years.

With our innovative technologies, broad product portfolio and comprehensive range of services, we offer optimum solutions to meet all our customers' needs for new build and refurbishment projects. Impressive, flexible all-round expertise.

From advanced electronic and mechanical shower systems, washbasin faucets and urinal controls through to washbasins, as well as complete washroom equipment and water management systems, we take an integrated approach to all products and system solutions, with a strong focus on sustainability, hygiene and reliability. As a result, the CONTI+ brand is respected among design engineers and architects as a professional partner.

CONTI Sanitärarmaturen GmbH  
 Hauptstrasse 98  
 35435 Wettenberg | Germany  
 Phone +49 641 98221 0  
 Fax +49 641 98221 50  
 info@conti.plus  
 www.conti.plus

Member of Fortuna Group 

