


CONTI+ Thermostat-E

The next generation shower & washroom




THERMOSTAT-E & SMART CONTROL COLD WATER RINSE

CONTI+ lino PRIMUS L40

Reliability and innovation for the next generation washroom: thanks to the proportional valve unit, the CONTI+ lino PRIMUS L40 faucets feature the electronically controlled Thermostat-E. When integrated into the CONTI+ Service APP or the CONTI+ CNX water management system, the latest functions and sanitary rinses can be adjusted, controlled and documented. With the same design as the previous lino portfolio, it is ideal for integration into existing systems without introducing any visual differences.

The thermostat for temperature and volume control is offered as an under-counter installation kit for the CONTI+ lino PRIMUS upright faucet.




THERMOSTAT-E & SHOWER HEAD HEIGHT LOWEST POSSIBLE WATER COLUMN

CONTI+ CONPRIMUS

Unique buildings are noted for their integrated architectural concept – from the façade to the interior. Our CONPRIMUS shower panel perfectly combines technology, safety, hygiene and design.

The system boasts an intelligent patented design and many innovative functions – heralding a new era in sanitary rinsing. The electronically controlled Thermostat-E mixer is positioned at exactly the same height as the shower head – thus almost entirely preventing the standing water column that would otherwise occur. The hot and cold water pipework are also rinsed separately. This virtually eliminates microbiological contamination of the shower water.

Our precise-fit cover extension means that CONPRIMUS can be installed in existing systems without any major conversion work being required.



WATER INLET AT SAME HEIGHT AS SHOWER HEAD





CONTI+ Service APP

Intuitive control of individual faucets

Both new and existing drinking water installations need to meet numerous hygiene requirements – in Germany, for example, the German Drinking Water Ordinance (TrinkwV) 2023. With our CONTI+ Service APP, we offer an effective means to extend the necessary programming, logging and documentation of the required hygiene measures to the control units of the individual faucets.

The Service APP allows convenient management of CONTI+ shower panels, concealed showers, washbasin and urinal faucets. Thanks to the user friendly and intuitive interface, faucets can be identified and selected for very straightforward management, programming and data readings.

The APP guides users systematically and logically through all menu items and features so that they can program sanitary rinses, check and set water running times, optimise sensor ranges, save settings and usage data, and more. Used in conjunction with the BLE Converter 2nd generation, secure communication is established via Bluetooth[®] between the faucet and the required device (e.g. smartphone or tablet). All this can be done wirelessly, easily, intelligently and securely.








CONTI+ CNX

Water management system

The innovative CNX water management system meets even the most demanding hygiene requirements - for excellent drinking water hygiene and reliable operation of the whole system at all times.

As well as networking the proven CONTI+ shower systems, washbasin faucets and urinal controls, the system also allows integration of the latest sanitary rinsing functions of CONPRIMUS shower panels and lino PRIMUS L40 faucets. Depending on the type of CNX controller, up to 64 or 150 faucets and devices can be centrally controlled using browser-based software. The systems can be installed up to 350 metres away from the controller. Networking is arranged via simple cabling. The CNX water management system can also be linked to higher-level building management systems as needed – for integrated facility management.

The system allows straightforward networking of the faucets. Depending on the design of the building, different topologies are possible with the integration of further installation components. There is therefore no need for either terminators or special bus cables. The standard cables are quickly and easily installed with waterproof single-wire terminals. Additional measures for shielding cables are not required.



The WLAN link with the CNX water management system allows connection to higher-level (e.g. cloud based) systems, as well as additional func-

CONTI

Dependable & innovative

Hygienic, smart shower room and washroom concepts to improve quality of life have been the hallmark of the CONTI+ brand for 50 years.

With our innovative technologies, broad product portfolio and comprehensive range of services, we offer optimum solutions to meet all our customers' needs for new build and refurbishment projects. Impressive, flexible all-round expertise.

From advanced electronic and mechanical shower systems, washbasin faucets and urinal controls through to washbasins, as well as complete washroom equipment and water management systems, we take an integrated approach to all products and system solutions, with a strong focus on sustainability, hygiene and reliability. As a result, the CONTI+ brand is respected among design engineers and architects as a professional partner.



Certificates are product related and not valid in general

02/2024 | CONVKF1135EN – CONTI+ Thermostat-E Errors and omissions along with technical and dimensional amendments reserved. WEEE-Reg.-Nr. DE 69033855 CONTI Sanitärarmaturen GmbH Hauptstrasse 98 35435 Wettenberg | Germany Phone +49 641 98221 0 Fax +49 641 98221 50 info@conti.plus www.conti.plus

Member of Fortuna Group 🕂

