

CONTI+ wall mounted faucets

Sustainable | Hygienic | Safe | Smart



CONTI+ lino

Surface mounted wall faucet in three versions

The proven K series of electronic CONTI+ lino surface mounted wall faucets offers versatile solutions in robust stainless steel. With spouts of 172 mm and 220 mm, there are many options right from the design stage. Thanks to the germ-inhibiting materials, the hygienic triggering of the water flow made possible by the touch-free IR sensor and the demand-dependent sanitary rinse with adjustable rinsing intervals, these wall mounted faucets are particularly suitable for public, semi-public and commercial washrooms as well as medical facilities.

The three versions of the CONTI+ lino K series surface mounted wall faucets offer the following functions:

CONTI+ lino K20 (surface mounted)

- touch-free, electronically controlled
- with IR sensor/without temperature control
- with Click function key
- "Temporary off" & "continuous on" functions
- adjustable sanitary rinse
- Battery or mains power
- compatible with CNX water management system



CONTI+ lino K10 (surface mounted)

- touch-free, electronically controlled
- with IR sensor/with temperature control
- with Click or Click-Plus function key
- "Temporary off" & "continuous on" functions
- adjustable sanitary rinse
- Battery or concealed mains receiver
- compatible with CNX water management system



CONTI+ lino K30 (surface mounted)

- touch-free, electronically controlled
- with IR sensor
- with temperature control/with thermostat
- with Click or Click-Plus function key
- "Temporary off" & "continuous on" functions
- adjustable sanitary rinse
- Anti-scalding protection
- Battery or concealed mains receiver
- compatible with CNX water management system



The faucets can be mounted to the wall by means of a mounting frame. This also offers easy access for maintenance and servicing, as it enables the fitting to be simply tilted forward.



HYGIENIC & SAFE

Thermostat with IR sensor

CONTI+ offers you hygienic solutions made of chrome plated brass that are particularly suitable for sanitary sectors with the most stringent hygiene standards. With electronic faucets and washroom equipment from CONTI+, facilities such as hospitals, teaching hospitals, retirement homes and nursing homes, as well as food processing establishments, are ideally equipped. The anti-scalding protection also offers additional safety.



W35 (surface mounted)
Spout: 200 mm/260 mm



W45 (surface mounted)
Spout: 200 mm/260 mm

CONTI+ lino WV35/W45 (surface mounted)

- touch-free, electronically controlled
- with IR sensor and thermostat
- with touch-free start/stop function (W45)
- with anti-scalding protection
- "Temporary off" & "continuous on" functions
- adjustable sanitary rinse
- Battery
- Chrome plated



NEW

PARTICULARLY ROBUST

CONTI+ CONBASE surface mounted wall faucet

The latest electronic CONBASE surface mounted wall faucet is touch-free, quick and easy to install, functional and unbeatably robust. Its versatility means that it can be installed in all kinds of rooms. The stainless steel body with rounded edges is easy to clean and vandal-proof.

The CONTI+ CONBASE is suitable for connecting cold or premixed water, with the option of connection from behind or above. No separate mounting system is needed. Instead, a mounting bracket is used for fast installation and easy accessibility.

At the forefront of technology – thanks to an integral sanitary rinse and possibility of integration into the CONTI+ CNX water management system. The IR sensor offers eight different, continuously self-calibrating ranges and can be operated via battery or mains supply. Running costs are reduced thanks to the universal CONTI+ ROBUST solenoid valve, which is also used in all CONTI+ faucets and therefore simplifies the supply of spare parts. The integral Click function key enables quick and easy programming of the CONTI+ CONBASE without needing to remove the body.



Hygienic

Reduction in bacterial growth through use of germ-inhibiting materials – and touch-free operation



Vandal protection

Reliable operation and protection against vandalism are ensured by robust materials, as well as the hydraulic components integrated into the faucet and the position of the aerator

SAFE & ROBUST STAINLESS STEEL SURFACE MOUNTED WALL FAUCET

Connection from above
Fast, straightforward
1/2" threaded fitting for pipes



Robust body

Body made entirely of hygienic,
robust and vandal-proof stainless steel

Connection from behind
Easy surface mounting and 1/2 "
threaded fitting without
additional wall installation box



Features

Spout available
in two different
lengths and materials
(stainless steel or
chrome plated brass)



Touch-free

Touch-free and safe
operation, reliable
triggering of the water
flow via IR sensor with
eight different ranges



Hygienic

Germ-inhibiting
materials and
touch-free operation

Power supply options

Battery – can be used without
further extensive electrical work
12 V/DC mains supply – for fast, easy integration
into the CONTI+ CNX water management system

Safety & cleaning
Rounded edges to prevent
vandalism and injury, and to
avoid creating dirt traps around
edges for ease of cleaning

HYGIENIC & SAFE



Demand-dependent sanitary rinse
triggered at intervals to ensure drink-
ing water hygiene.



Possibility of easy and intuitive inte-
gration into the CONTI+ CNX water manage-
ment system. Extra functions,
such as thermal disinfection.

OPTIONS



Spout colour: Chrome
Spout length: 100 mm/225 mm
Body: Brass



Spout colour: Stainless steel
Spout length: 100 mm
Body: Brass

CONTI+ CONGENIAL

Surface mounted multiple washing station

CONGENIAL multiple washing stations form a perfect combination with wash troughs. These multiple washing stations with piezo pushbuttons make an excellent choice for commercial, public and semi-public applications. They are available in versions for two or three washing stations with a robust stainless steel body, and directly installed and piped thermostatic washing station faucets.

The functions of CONGENIAL multiple washing stations include adjustable water running times, demand-dependent sanitary rinse triggered at intervals and thermal disinfection. The universal CONTI+ ROBUST solenoid valve ensures functional reliability, whilst also reducing running costs with regard to spare parts storage, as the same solenoid valve is used in all faucets.



CONTI+ CONGENIAL multiple washing station

- electronically controlled – mains supply
- water flow triggered via piezo pushbutton with start/stop function
- with thermostat for temperature selection
- safety: anti-scalding protection
- Sanitary rinse, adjustable via piezo pushbutton
- water runtime setting
- possibility of integration into the CONTI+ CNX water management system
- thermal disinfection (CNX)
- cleaning stop (CNX)
- brushed stainless steel
- special solutions on request



CONGENIAL SET

Complete wall mounted washing station

Ensure consistent quality with the entire washing station from a single source. With our matching, custom-made and coordinated products, a CONTI+ multiple washing station set is the perfect solution.



CONTI+ also offers two spout lengths for the CONTI+ multiple washing station so that wash-rooms can be designed to best suit the particular circumstances. The spouts are available in lengths of 235 mm or 285 mm and are chrome plated.



Reliable & innovative

For over 45 years, the CONTI+ brand has been recognised for flexible and holistic shower room and washroom solutions for public, semi-public and commercial environments as well as the health sector.

Known for its innovative technology and high grade materials, the brand has gained a reputation for unfailing quality. With a wide-ranging product portfolio and many years of experience creating custom designs, CONTI+ is now widely recognised among design engineers and architects for its valuable contribution to their projects. Every last detail is contemplated when developing tailor-made products, resulting in smart, individual solutions to suit a plethora of applications and equipment. The choice of shower and washbasin fittings encompasses a variety of colours and finishes as well as options for surface or flush mounting. Naturally sustainability, hygiene and reliability are prime considerations in the development of all products.

Thanks to its dependable quality and innovative technology, CONTI+ has remained a trusted brand throughout the world for over 45 years.



Certificates are product related and not valid in general

CONTI Sanitärarmaturen GmbH
Hauptstraße 98
35435 Wettenberg | Germany
Tel. +49 641 98221 0
Fax +49 641 98221 50
info@conti.plus
www.conti.plus

Member of Fortuna Group 