

CONTI+ lino AS

With anti-scalding protection





TECHNICAL DETAILS

Battery: 6 V lithium CRP 2, service life of up to 4 years
Mains surface-mounted: plug-in power supply unit 230 V / 6 V

Operating pressure: 0.3–10 bar
Flow rate: approx. 3.8 l/min (3 bar)

Water temperature (max.): 80 °C

Flexible hoses: 350 mm

Angle valve connections: G 3/8

Built-in filters: 0.5 mm mesh width

Follow-up time: preset to 1s; can be adjusted to 0 – 10 s with function key

Continuous water flow and hygienic flush time: preset to 2 min; can be adjusted to 0.5 – 20 min with function key

Temporary-off: fixed at 2 min

Standards: DIN EN 200, noise class I, P-IX 9575 / IA, **CE**

Note: If integrated into the CNX water management system, the CNX Converter must be ordered separately. If connected via Service APP, the BLE Converter must be ordered separately.

CONTI+ lino AS

Safe | Hygienic | Smart | Sustainable

The CONTI+ lino AS L13 upright faucet with anti-scalding protection has the same shape and design as the previous CONTI+ lino versions and is therefore ideally suited for integration into existing systems without creating any visual irregularities.

A key aspect of the new, patented, thermostatically controlled anti-scalding protection is increased safety in the case of cold water system failure or pressure fluctuations in the cold/hot water system. An integrated thermostatic mixer shaft controls the water temperature while also ensuring thermostatically controlled anti-scalding protection compliant with the relevant standards (EN 1111).

The infrared sensor faucet can be adjusted for a temperature range of 15 °C to 40 °C using the small lever on the right-hand side. Thanks to its maximum mixing temperature of 40 °C, the CONTI+ lino AS L13 offers a sensible way to protect against scalding, especially in accessible bathrooms or schools, kindergartens, etc.

The CONTI+ lino AS L13 can be powered by mains operation or via a 6v battery and can be networked with the CNX water management system or the CONTI+ Service App. These systems enable central control and monitoring of hygiene measures such as thermal disinfection or time-controlled sanitary rinsing.



Hygienic operation

Touch-free and safe operation, reliable triggering of the water flow via IR sensor, temperature at the spout can be preselected



Anti-scalding protection

The thermal mixer with anti-scalding protection ensures safety when hand washing



Sanitary rinse

Demand-dependent sanitary rinse triggered at intervals to ensure drinking water hygiene



CONTI+ CNX water management system

Possibility of integration into the CONTI+ CNX water management system – easily and intuitively. Essential rinsing is automated and documented. Analysis and adjustment of all the operating data and functions stored in the faucet



CONTI+ Service APP

Individual control of shower faucets, washbasin faucets and urinal flush valves for programming, direct triggering of functions, logging and reading data



Reliable & innovative

For over 45 years, the CONTI+ brand has been recognised for flexible and holistic shower room and washroom solutions for public, semi-public and commercial environments as well as the health sector.

Known for its innovative technology and high grade materials, the brand has gained a reputation for unflinching quality. With a wide-ranging product portfolio and many years of experience creating custom designs, CONTI+ is now widely recognised among design engineers and architects for its valuable contribution to their projects. Every last detail is contemplated when developing tailor-made products, resulting in smart, individual solutions to suit a plethora of applications and equipment. The choice of shower and washbasin fittings encompasses a variety of colours and finishes as well as options for surface or flush mounting. Naturally sustainability, hygiene and reliability are prime considerations in the development of all products.

Thanks to its dependable quality and innovative technology, CONTI+ has remained a trusted brand throughout the world for over 45 years.

CONTI Sanitärarmaturen GmbH
Hauptstraße 98
D-35435 Wettenberg | Deutschland
Tel. +49 641 98221 0
Fax. +49 641 98221 50
info@conti.plus
www.conti.plus

Member of Fortuna Group 

